

Shire of Kalamunda – Community Group Revegetation Program

Friends Group Order Form (**All final plant orders subject to plant availability from the nursery*)

2017 Species List



Name of Friends Group: _____

Genus	Species	Common Name	Plant Type	Height (m)	Dieback Resistance?*	Notes	QTY
<i>Acacia</i>	<i>drummondii</i>	Drummond's Wattle	Low Shrub	0.3 - 1	Resistant	Shrub, flowers yellow, Jun – Oct. Grows in sandy or lateritic soils.	
<i>Acacia</i>	<i>pulchella</i>	Prickly Moses	Low Shrub	0.3 - 3	Resistant	Versatile shrub, very prickly, great for closing tracks or protecting areas from pedestrians. Flowers yellow, May – Dec. Grows on a variety of soils and habitats across the region. Dieback resistant.	
<i>Allocasuarina</i>	<i>fraseriana</i>	Sheoak	Tree	5 - 15	Susceptible	Fibrous reddish-brown bark. Flowers brown, May to Oct. Grows on lateritic soils, white, grey or yellow sand. Found in Jarrah forest and on sand dunes	
<i>Allocasuarina</i>	<i>humilis</i>	Dwarf Sheoak	shrub	0.2 – 2	Resistant/ Susceptible	Erect or spreading shrub. Sand, often over laterite, sandy clay, gravel	
<i>Anigozanthos</i>	<i>humilis</i>	Catspaw	Herb	0.2 - 2	Not confirmed	Rhizomatous, perennial, herb. Flowers yellow, red, orange, Jul–Oct. Grows in all soils. Full sun or partial shade.	
<i>Anigozanthos</i>	<i>manglesii</i>	Mangle's Kangaroo Paw	Herb	0.2 - 1.1	Resistant	Rhizomatous, perennial, herb, 0.2–1.1 m high. Attractive red and green flowers, Aug–Nov. Grows on sandy or loamy soils.	
<i>Banksia</i>	<i>attenuata</i>	Slender Banksia	Tree	0.4 - 10	Susceptible	Lignotuberous tree or shrub, 0.4–10 m high, with epicormic buds. Flowers yellow, Oct–Feb. Used by Carnaby's Black Cockatoo for feeding. Prefers loamy or sandy, well-drained soils; full sun to partial shade. Note: Do not fertilise with Phosphorous fertilisers.	
<i>Banksia</i>	<i>grandis</i>	Bull Banksia	Tree	6.0	Susceptible	Medium tree to 10 m high, with epicormic buds. Flowers yellow, green, Sep–Jan. Grows on white or grey sand, laterite - prefers well-drained soils. Full sun to partial shade. Used by Carnaby's Black Cockatoo for feeding. Note: Do not fertilise with Phosphorous fertilisers.	
<i>Banksia</i>	<i>nivea</i>	Honeypot Couch	Small Shrub	0.15 - 1.5	Not confirmed	Flowers cream-yellow-orange-pink centre with a red-brown outer. Apr – Nov. Requires sandy soils, gravel, laterite and granite	

Genus	Species	Common Name	Plant Type	Height (m)	Dieback Resistance?*	Notes	QTY
<i>Billardiera</i>	<i>fusiformis</i>	Australian Bluebell	Small shrub/climber	1.5	Not confirmed	Shrub with twining stems. Will climb if support is available. Small blue flowers hanging downwards Nov – Dec or Jan – Feb. Bean like pods. Suits forest, woodland and creeklines.	
<i>Bossiaea</i>	<i>eriocarpa</i>	Common Brown Pea	Small Shrub	0.2 - 1	Susceptible	Erect or straggly & spreading shrub, 0.2–1 m high. Flowers yellow, brown, red, Jul–Nov. Grows well on sandy soils.	
<i>Callistemon</i>	<i>phoeniceus</i>	Fiery Bottlebrush	Tall Shrub	1 - 6	Not confirmed	Tall to small tree or shrub, 1–6 m high. Flowers red, Sep–Jan. Sandy soils, laterite. Often found along watercourses.	
<i>Calothamnus</i>	<i>quadrifidus</i>	One Sided Bottlebrush	Medium Shrub	1.5	Resistant	Erect, compact or spreading shrub, 0.9–2 m high. Flowers red, Jun–Dec. Grows in a wide variety of soils & habitats. Attracts birds.	
<i>Calothamnus</i>	<i>rupestris</i>	Mouse Ears	Medium Shrub	3.0	Not confirmed	Erect, compact or spreading shrub or tree (occasionally), 0.9–4 m high. Flowers pink, red, Jul–Dec. Grows on most soils. Hardy. Attracts birds.	
<i>Calothamnus</i>	<i>sanguineus</i>	Silky-leaved Blood flower / Pindak	Medium Shrub	0.2 - 2	Resistant	Erect to open spreading shrub, 0.2–2 m high. Flowers red, Mar–Nov. Sandy or lateritic soils. Sandplains, limestone ridges, rocky outcrops.	
<i>Carex</i>	<i>appressa</i>	Tall Sedge	Sedge	0.5 – 2m	Not confirmed	Rhizomatous, tufted grass-like perennial. Suits sandy soils in swampy areas and along water courses.	
<i>Chorizema</i>	<i>dicksonii</i>	Yellow eyed flame pea	Low shrub	0.5 – 0.75	Not confirmed	Grows in sandy, gravelly soils, full sun or part shade	
<i>Chorizema</i>	<i>ilicifolium</i>	Holly Flame Pea	Low Shrub	1.0	Not confirmed	Slender, erect to spreading shrub, 0.1–0.35 m high. Attractive flowers yellow, orange, red, Jul–Oct. Likes sandy soils. Hardy.	
<i>Conostylis</i>	<i>candicans</i>	Grey Cottonhead	Herb	0.05 - 0.4	Not confirmed	Rhizomatous, perennial, grass-like or herb, 0.05–0.4 m high. Attractive cone-shaped yellow flowers, Jul–Nov. Greyish foliage. Grows on sand, sandy loam, limestone. Tolerates wind, full sun.	

Genus	Species	Common Name	Plant Type	Height (m)	Dieback Resistance?*	Notes	QTY
<i>Conostylis</i>	<i>setosa</i>	White Cottonhead	grass-like or herb	0.15-0.3 m	Resistant	Rhizomatous, tufted perennial, grass-like or herb, 0.15-0.3 m high. Fl. white/pink-red-brown/purple, Sep to Nov. Laterite, gravel.	
<i>Corymbia</i>	<i>calophylla</i>	Marri	Tree	To 40	Resistant	Tree to 40 m high. Bark rough, tessellated. Flowers white, pink, Dec–May. Grows on most soils, whether well or poorly drained. High priority plant for Carnaby's Black Cockatoo as is used for feeding, nesting and roosting.	
<i>Darwinia</i>	<i>citriodora</i>	Lemon scented Darwinia	Low Shrub	0.2 – 1.5	Resistant	Unusual yellow/green – red flowers. A dense shrub which forms good habitat for small birds and bandicoots. Grows on lateritic soils.	
<i>Daviesia</i>	<i>cordata</i>	Bookleaf	Low Shrub	1.2	Not confirmed	Erect, slender shrub, 0.5–2 m high. Ornamental with interesting foliage. Flowers yellow, orange, red, brown, Jul–Jan. Grows on lateritic or granitic soils, on undulating plains, hills, ridges.	
<i>Eucalyptus</i>	<i>wandoo</i>	Wandoo	Tree	3-25 m	Resistant	Tree, 3-25 m high, bark smooth, powdery or non-powdery. Fl. white-cream, Dec or Jan to May. Sandy loam, clay loam, gravel, laterite, granite. Stony rises, undulating terrain	
<i>Gompholobium</i>	<i>tomentosum</i>	Hairy Yellow Pea	Low Shrub	0.5	Resistant	Erect shrub, 0.3–1 m high. Flowers yellow, Jul–Jan. Grows on sand, sandy clay, lateritic sand.	
<i>Gompholobium</i>	<i>knightianum</i>		erect shrub	0.1-0.5 m	Not confirmed	Slender, erect shrub, 0.1-0.5 m high. Fl. pink-purple, Jul to Dec. Often on lateritic soils	
<i>Grevillea</i>	<i>bipinnatifida</i>	Fuchsia Grevillea	Medium shrub	0.3 - 2	Not confirmed	Spreading lignotuberous shrub with large red flowers. Grows on a range of soil types.	
<i>Grevillea</i>	<i>synapheae</i>	Catkin Grevillea	Prostrate to erect shrub	0.2-0.6(-1.1) m	Resistant	Prostrate to erect, lignotuberous shrub, 0.2-0.6(-1.1) m high. Fl. white-cream-yellow, Jul to Oct. Sand, gravel, loam, laterite, granite. At or near the top of rises, low heathland.	
<i>Grevillea</i>	<i>wilsonii</i>	Native Fuchsia	Medium shrub	0.8 – 1.5	Not confirmed	Erect, compact to spreading shrub with bird attracting bright red flowers.	

Genus	Species	Common Name	Plant Type	Height (m)	Dieback Resistance?*	Notes	QTY
<i>Hakea</i>	<i>trifurcata</i>	Two Leaf Hakea	Medium Shrub	1.5 – 3	Not confirmed	Rounded or open shrub. Flowers white – cream/pink, Apr–Oct. Grows in a variety of soils from sand to gravel. Attractive to birds and butterflies.	
<i>Hakea</i>	<i>undulata</i>	Wavy Leafed Hakea	Medium shrub	1 - 2	Not confirmed	Flowers cream from July to Oct. Generally a successful revegetation species and a good natural coloniser. Provides nectar for small birds and seed for cockatoos.	
<i>Hardenbergia</i>	<i>comptoniana</i>	Native Wisteria	Climber	Climbs 2 - 4	Resistant	Twining shrub or climber. Flowers purple, white, Jul–Oct. Vigorous climber, prefers sand or gravel.	
<i>Hemiandra</i>	<i>pungens</i>	Snake Bush	Ground Cover	0.1	Resistant	Prostrate to ascending shrub, 0.05–1 m high. Mauve flowers Jan–Dec, dark reddish-green leaves. Grows in most soils including on rock outcrops.	
<i>Hovea</i>	<i>trisperma</i>	Common Hovea	weak to ascending shrub	0.1-0.7 m	Resistant	Straggling, weak to ascending shrub, 0.1-0.7 m high. Fl. purple-blue, May to Nov. Sandy soils, laterite, gravel, clay loam.	
<i>Hypocalymma</i>	<i>angustifolium</i>	White Myrtle	Low Shrub	To 1.5	Resistant	Erect, multi-stemmed shrub, to 1.5 m high. Flowers white, cream, pink, Jun–Oct. Narrow leaves. Grows on sand, peaty soils, sandy clay, and sandstone. Found in swamps, along watercourses, near permanent fresh-water springs, outcrops, hillsides.	
<i>Hypocalymma</i>	<i>robustum</i>	Swan River Myrtle	Low Shrub	0.7	Susceptible	Erect shrub, 0.4–1 m high. Flowers pink, red, Jun–Nov. Grows on gravelly lateritic soils, sandy soils; preferably well drained.	
<i>Isopogon</i>	<i>dubius</i>	Pincushion Cone Flower	Low Shrub	0.8	Not confirmed	Compact, bushy shrub, 0.3–1.5 m high. Flowers pink, red, Jul–Oct. Sand, sandy loam, clayey soils, lateritic sandy gravel. Very ornamental, specimen plant.	
<i>Jacksonia</i>	<i>sternbergiana</i>	Stinkwood	weeping shrub or tree	1.5-5 m high	Susceptible	Erect, weeping shrub or tree, 1.5-5 m high. Fl. yellow-orange, Jan to Dec. Sandy soils. Along rivers & creeks, near swamps, flats, dunes.	

Genus	Species	Common Name	Plant Type	Height (m)	Dieback Resistance?*	Notes	QTY
<i>Juncus</i>	<i>pallidus</i>	Pale rush	Herb	0.5 – 2m	Not confirmed	Rhizomatous perennial, Green flowers, Oct – Dec. Grows in clay, swamps and watercourses.	
<i>Juncus</i>	<i>subsecundus</i>	Finger rush	Herb	0.3 – 1m	Not confirmed	Tussock perennial, Flowers in Oct – Dec or Jan. Grows in Clay and swamps	
<i>Juncus</i>	<i>kraussii</i>	Sea Rush	herb	0.3-1.2 m	Not confirmed	Rhizomatous, perennial, herb, 0.3-1.2 m high. Fl. brown/red, Oct to Dec or Jan. White or grey sand, clay, alluvium. Swamps, brackish estuaries, saline flats.	
<i>Kennedia</i>	<i>coccinea</i>	Coral Vine	Ground Cover	0.1	Resistant	Twining or trailing shrub or climber. Coral pink pea flowers in dense heads, Aug–Nov. Fairly hardy, likes sandy soils.	
<i>Kennedia</i>	<i>prostrata</i>	Running Postman	Ground Cover	0.1	Resistant	Prostrate or twining shrub. Named for its bright red flowers, Apr–Nov. Attractive foliage. Likes sandy, gravelly soils.	
<i>Kunzea</i>	<i>ericifolia</i>	Spearwood	Shrub		Resistant/ Susceptible	An erect shrub that forms a good screen. Seasonally wet or moist situations.	
<i>Kunzea</i>	<i>recurva</i>	(No common name)	Medium Shrub	0.3 - 2	Not confirmed	Erect or ascending shrub, 0.3–2 m high. Flowers pink, purple, Aug–Dec. Grows in a variety of soils. Can be pruned as a low screen plant. Attracts butterflies and birds.	
<i>Lechenaultia</i>	<i>biloba</i>	Blue Lechenaultia	Low Shrub	0.2	Resistant	Diffuse, ascending, hardy shrub, 0.2–1 m high, with distinctive large corolla wings. Flowers blue, Jul–Dec. Prefers lateritic or granitic soils including hills, outcrops, and flats. Grows in full sun or partial shade.	
<i>Macrozamia</i>	<i>riedlei</i>	Zamia	Tree (cycad)	0.5 - 3	Susceptible	Small, usually trunkless with few glossy leaves. Grows on lateritic soils.	
<i>Melaleuca</i>	<i>fulgens</i>	Scarlet Honeymyrtle	Medium Shrub	0.4 - 3		Shrub, 0.4–3 m high. Flowers red, pink, white, Jul–Dec. Grows in light clay to sandy soils. Prefers a moist, well drained site.	

Genus	Species	Common Name	Plant Type	Height (m)	Dieback Resistance?*	Notes	QTY
<i>Melaleuca</i>	<i>incana</i>	Grey Honeymyrtle	Medium Shrub	2.0 – 3.0	Not confirmed	Shrub 2-3m high. Weeping growth habit. Flowers cream or white, occurring in small, bottlebrush shaped spikes in spring. Very hardy shrub in most soils and aspects, prefers full sun.	
<i>Melaleuca</i>	<i>radula</i>	Graceful Honeymyrtle	Medium Shrub	0.3 – 2.4	Not confirmed	Shrub, 0.3–2.4 m high. Flowers pink, purple, white, Jul–Nov. Sandy, often gravelly soils over granite or laterite. Associated with granite rocks or watercourses. Lovely small feature plant which may be pruned for a low screen. Attracts birds.	
<i>Melaleuca</i>	<i>rhaphiophylla</i>	Swamp Paperbark	Tree	0.2-10 m	Not confirmed	Tree or shrub, 0.2-10 m high. Fl. white-cream, Jul or Sep to Dec or Jan. White or grey sand, clay soils, limestone. Saltmarshes, swamps, along watercourses.	
<i>Melaleuca</i>	<i>scabra</i>	Rough Honeymyrtle	Medium Shrub	0.2 – 1.5	Susceptible	Shrub, 0.2–1.5 m high. Flowers mauve Sept–Dec. Grows in most soils. Good rockery plant. Full sun or partial shade.	
<i>Melaleuca</i>	<i>seriata</i>	(No common name)	Low Shrub	0.25 - 1	Resistant	Shrub, 0.25–1 m high. Flowers pink, purple, red, Aug–Dec. Grows in sand over laterite or clay, clay loam. Found on ridges, sandplains, in Winter wet depressions.	
<i>Orthrosanthus</i>	<i>laxus</i>	Morning Iris	Herb	0.5	Resistant	Rhizomatous, perennial, herb, 0.15–0.55 m high. Flowers blue, Aug–Nov. Likes light to medium, moist soils in a protected, sunny position. Can be propagated by division. A lovely tufted plant for rockeries and borders.	
<i>Paraserianthes</i>	<i>lophantha</i>	Albizia	Tree	4 - 8	Resistant	Shrub or small tree to 10 m high. Attractive bipinnate foliage. Flowers yellow, green, Apr–Oct. Grows in sandy or granitic soils, tolerating poor soils. Very fast growing, makes good cover for other species.	
<i>Patersonia</i>	<i>occidentalis</i>	Purple Flag	Herb	0.5	Susceptible	Rhizomatous, tufted perennial, herb, to 1.5 m high. Flowers purple, Summer. Hardy and easy to grow in most soils. Great for rockeries.	

Genus	Species	Common Name	Plant Type	Height (m)	Dieback Resistance?*	Notes	QTY
<i>Philothea</i>	<i>Spicata</i>	Pepper and Salt	erect shrub	0.2-0.6 (-1.2) m	Not confirmed	Slender, erect shrub, 0.2-0.6(-1.2) m high. Fl. pink-purple-blue/white, Jun to Nov. Variety of soils.	
<i>Trymalium</i>	<i>odoratissimum</i>	Soap Bush	Large shrub	1 - 3	Not confirmed	A great coloniser and revegetation plant, particularly along creeklines. Masses of small white flowers in early spring.	
<i>Verticordia</i>	<i>densiflora</i>	Compact feather flower	Medium Shrub	0.25 - 2	Not confirmed	Abundant dry purple - pink to cream – white flowers Sept – Feb. Suits winter wet sites.	
<i>Verticordia</i>	<i>plumosa</i>	Plumed Featherflower	Low Shrub	0.2 – 1.5	Not confirmed	Rounded shrub, 0.2–1.5 m high. Flowers pink, purple, white, Jul–Feb. Grows in sandy or clayey soils, gravel, granite.	

***** Please feel free to request additional species not listed on this table, if you feel there is a need for them at your reserve *****

* - Dieback Resistance and/or Susceptibility has been determined from the Dieback Working Group publications (E. Groves, G. Hardy & J. Morcombe, Murdoch University)

Please consider the Dieback status of your Reserve when selecting native species for the Community Revegetation Program. Dieback susceptible species are best planted in dieback free areas, or those areas of bushland which have been treated with Phosphite.

If you are unsure of the dieback status of your reserve, please contact the Environmental Friends Group Officer to discuss.

Additional Requests/Comments: (answer yes/no, number required or insert comments)



Tree Guards: Stakes:
Pre-drilled/Augured holes (100mm) Mulch Delivered:
Revegetation signs: Glyphosate Bi-active:
Other (Coir matting/Jute matting/water crystals etc.)
Assistance with planting requested?

Comments:
.....
.....

(Delivery planned between Mon 24th April and Fri 29th April – planting before 2nd June 2017 please)

Name: Contact phone number:

Address:

Special delivery instructions:
.....
.....

[Office use only] Date request submitted by Co-ordinator: