

🌿 Online plant reservations open 12pm, Tuesday 4 May 2021

via <https://www.trybooking.com/BQEFZ>

🌿 Households can select up to 15 native plants. There is a limit of two (2) plants per species, per order.

🌿 One order per household only.

🌿 Reservations close Monday, 24 May 2021, or until all plants are allocated.

🌿 Plant pick up: Saturday 29 May 2021 from Woodlupine Family and Community Centre, Forrestfield.

Find full terms and conditions via: <https://www.kalamunda.wa.gov.au/plants-for-residents>

The following list of plants provided is correct at time of publishing – where possible the City of Kalamunda in partnership with Apace will strive to provide the plants selected. Where your preferred plants are not in stock or becomes unavailable, you will be provided with the closest substitute.

## SHRUBS

### 🌿 **Acacia dentifera**

*Erect, loose shrub, 0.6-3 m high. Fl. yellow, Aug to Nov. Often in lateritic or granitic gravelly soils.*

Plant information available

via: <https://florabase.dpaw.wa.gov.au/browse/profile/3294>

Apace summary: <https://apacewa.org.au/plant/acacia-dentifera/>

### 🌿 **Acacia pulchella**

*Prickly Moses - A shrub to 1.5 m tall, branching freely; branchlets spine tipped, slightly flexuose, pale green, glabrous or with sparse, to 3 mm long, erect hairs.*

Plant information available

via: <https://florabase.dpaw.wa.gov.au/browse/profile/3502>

Apace summary: <https://apacewa.org.au/plant/acacia-pulchella/>

### 🌿 **Acacia urophylla**

*Erect, slender, open shrub, (0.6-)1-3(-5) m high. Fl. yellow/cream-white, May to Oct. Often in lateritic soils. Along creeks & rivers, damp places.*

Plant information available

via: <https://florabase.dpaw.wa.gov.au/browse/profile/3591>

Apace summary: <https://apacewa.org.au/plant/acacia-urophylla/>








### 🌿 **Banksia attenuata**

*Candle/Slender Banksia: Lignotuberous tree-shrub, 0.4-10 m high. epicormic buds. Fl. yellow, Oct-Dec or Jan-Feb. Sand dunes, sandplains.*

Plant information available

via: <https://florabase.dpaw.wa.gov.au/browse/profile/1800>

Apace summary: <https://apacewa.org.au/plant/banksia-attenuata/>

-  **Banksia nivea**  
*Honeypot Dryandra: Shrub, 0.15-1.5 m high. Fl. cream-yellow-orange-pink/red-brown, Apr or Jul to Nov. Sandy soils, gravel, laterite, granite.*  
Plant information available  
via: <https://florabase.dpaw.wa.gov.au/browse/profile/32202>  
Apace summary: <https://apacewa.org.au/plant/banksia-nivea/>
-  **Banksia telmatiaea**  
*Swamp Fox Banksia: Non-lignotuberous shrub to 2m high, flowers golden to pale brown from winter to spring. Bird and bee attracting.*  
Plant information available  
via: <https://florabase.dpaw.wa.gov.au/browse/profile/1852>  
Apace summary: <https://apacewa.org.au/plant/banksia-telmatiaea/>
-  **Pincushion Hakea**  
*Hakea laurina: Non-lignotuberous shrub or tree, 2-6 m high. Fl. red, Apr to Aug. Sand, sandy clay.*  
Plant information available  
via: <https://florabase.dpaw.wa.gov.au/browse/profile/2171>  
Apace summary: <https://apacewa.org.au/plant/hakea-laurina/>
-  **Wavy-leaved Hakea**  
*Hakea undulata: Erect, often straggly, non-lignotuberous shrub, 1-2 m high. Fl. white, Jul to Oct. White or grey sand, clay, loam, gravel, laterite.*  
Plant information available  
via: <https://florabase.dpaw.wa.gov.au/browse/profile/2215>  
Apace summary: <https://apacewa.org.au/plant/hakea-undulata/>
-  **Honey Bush**  
*Hakea lissocarpha: Erect to sprawling, pungent, lignotuberous shrub, 0.4-1.5(-3) m high. Fl. white-cream/yellow/pink, May to Sep. White, grey or yellow sand, sandy loam, granitic soils, laterite.*  
Plant information available  
via: <https://florabase.dpaw.wa.gov.au/browse/profile/2175>  
Apace summary: <https://apacewa.org.au/plant/hakea-lissocarpha/>
-  **Sea Urchin Hakea**  
*Hakea petiolaris: Erect shrub or tree, to 9 m high. Fl. pink & cream, Mar to Jul. Loam, granite. Outcrops.*  
Plant information available  
via: <https://florabase.dpaw.wa.gov.au/browse/profile/2194>  
Apace summary: <https://apacewa.org.au/plant/hakea-petiolaris/>
-  **Devil' Pins**  
*Hovea pungens - Erect, pungent shrub, 0.2-1.8 m high. Fl. blue-purple, May to Nov. Shallow soils on rock, sandy soils, laterite, gravel, clay & loamy soils.*  
Plant information available  
via: <https://florabase.dpaw.wa.gov.au/browse/profile/3966>  
Apace summary: <https://apacewa.org.au/plant/hovea-pungens/>

## TREES

### **WA sheoak**

*Allocasuarina fraseriana*: Dioecious, erect tree, 5-15 m high, bark fibrous, reddish-brown. Fl. brown, May to Oct. Lateritic soils, white, grey or yellow sand. Jarrah forest, sand dunes.

Plant information available

via: <https://florabase.dpaw.wa.gov.au/browse/profile/1728>

Apace summary: <https://apacewa.org.au/plant/allocasuarina-fraseriana/>

### **Marri**

*Corymbia calophylla*: Tree or (mallee, rarely), to 40(-60) m high, bark rough, tessellated. Fl. white/pink, Dec/Jan-May.

Plant information available

via: <https://florabase.dpaw.wa.gov.au/browse/profile/17104>

Apace summary: <https://apacewa.org.au/plant/corymbia-calophylla/>

### **Eucalyptus laeliae**

*Darling Range Ghost Gum*: Tree, 5-20 m high, bark smooth, powdery. Fl. white, Dec or Jan to Feb. Sandy clay, sandy loam. Granite outcrops & hills.

Plant information available

via: <https://florabase.dpaw.wa.gov.au/browse/profile/5688>

Apace summary: <https://apacewa.org.au/plant/eucalyptus-laeliae>

### **Eucalyptus wandoo**

*Wandoo*: Tree, 3-25 m high, bark smooth, powdery or non-powdery. Fl. white-cream, Dec or Jan to May. Sandy loam, clay loam, gravel, laterite, granite. Stony rises, undulating terrain

Plant information available

via: <https://florabase.dpaw.wa.gov.au/browse/profile/5797>

Apace summary: <https://apacewa.org.au/plant/eucalyptus-wandoo/>

## PERENNIAL HERB

### **Kangaroo Paw (Green)**

*Anigozanthos viridis* 'Green': Rhizomatous, perennial, herb, 0.05-0.85 m high. Fl. green/yellow-green, Aug to Oct. Sand, loam, clay. Winter-wet areas

Plant information available

via: <https://florabase.dpaw.wa.gov.au/browse/profile/1416>

Apace summary: <https://apacewa.org.au/plant/anigozanthos-viridis/>








### **Kangaroo Paw (R/G)**

*Anigozanthos manglesii*: Rhizomatous, perennial, herb, 0.5-3 m high. Nov to Dec or Jan. Grey or yellow sand, clay, gravel. Drainage lines, fringing wetlands, roadside gutters.

Plant information available

via: <https://florabase.dpaw.wa.gov.au/browse/profile/1411>

Apace summary: <https://apacewa.org.au/plant/anigozanthos-manglesii/>

-  **Centella asiatica**  
*Creeping, stoloniferous perennial, herb, 0.05-0.4 m high. Fl. pink/purple-red/white, Aug to Dec or Jan to Apr. Often in winter-wet depressions.*  
Plant information available  
via: <https://florabase.dpaw.wa.gov.au/browse/profile/6214>  
Apace summary: <https://apacewa.org.au/plant/centella-asiatica>
-  **Prickly Conostylis**  
*Conostylis aculeata: Rhizomatous, perennial, grass-like or herb, 0.06-0.5(-0.6) m high. Fl. yellow, Aug to Nov. Winter-wet areas, swamp margins, drainage areas, ditches, sand dunes.*  
Plant information available  
via: <https://florabase.dpaw.wa.gov.au/browse/profile/1418>  
Apace summary: <https://apacewa.org.au/plant/conostylis-aculeata>
-  **Grey Cottonheads**  
*Conostylis candicans: Rhizomatous, perennial, grass-like or herb, 0.05-0.4 m high. Fl. yellow, Jul to Nov. Sand, sandy loam, limestone. Coastal dunes, sand dunes.*  
Plant information available  
via: <https://florabase.dpaw.wa.gov.au/browse/profile/1427>  
Apace summary: <https://apacewa.org.au/plant/conostylis-candicans>
-  **Conostylis juncea**  
*Rhizomatous, tufted perennial, grass-like or herb, 0.1-0.4 m high, inflorescences on short peduncles below leaves. Fl. yellow/green-yellow, Jul to Sep. White, grey or yellow sand.*  
Plant information available  
via: <https://florabase.dpaw.wa.gov.au/browse/profile/1436>  
Apace summary: <https://apacewa.org.au/plant/conostylis-juncea>
-  **Morning Iris**  
*Orthrosanthus laxus: Rhizomatous, perennial, herb, 0.15-0.55 m high. Fl. blue, Aug to Nov.*  
Plant information available  
via: <https://florabase.dpaw.wa.gov.au/browse/profile/1537>  
Apace summary: <https://apacewa.org.au/plant/orthrosanthus-laxus>
-  **Purple Flag**  
*Patersonia occidentalis | Western Patersonia: Rhizomatous, tufted perennial, herb, to 1.5 m high. Fl. purple, Aug to Dec/Jan.*  
Plant information available  
via: <https://florabase.dpaw.wa.gov.au/browse/profile/1550>  
Apace summary: <https://apacewa.org.au/plant/patersonia-occidentalis>
-  **Ringed Wallaby Grass**  
*Rytidosperma caespitosum: Erect tufted perennial Australian native grass, growing to 0.2m to 0.9 metres high. Flowers during Spring. Shade tolerant.*  
Plant information available  
via: <https://florabase.dpaw.wa.gov.au/browse/profile/40425>  
Apace summary: <https://apacewa.org.au/plant/austrodanthonia-caespitosa>

## GROUNDCOVERS

### **Bossiaea eriocarpa**

*Common Brown Pea: Erect or straggly & spreading shrub, 0.2-1 m high. Fl. yellow & brown/red, Jul to Nov. Usually on sandy soils.*

Plant information available

via: <https://florabase.dpaw.wa.gov.au/browse/profile/3710>

Apace summary: <https://apacewa.org.au/plant/bossiaea-eriocarpa>

### **Heart-leaf Flame Pea**

*Chorizema cordatum - Erect, straggling or climbing shrub, 0.3-1.5 m high. Fl. yellow & orange & red/pink, Jul - Dec. Near rock outcrops, on hills, along streams and watercourses, winter-wet flats.*

Plant information available

via: <https://florabase.dpaw.wa.gov.au/browse/profile/8971>

Apace summary: <https://apacewa.org.au/plant/chorizema-cordatum>

### **Onesided Bottlebrush**

*Calothamnus quadrifidus: Erect, compact or spreading shrub, (0.5-)0.9-2(-3) m high. Fl. red/white-yellow, Jun to Dec. Wide variety of soils & habitats.*

Plant information available

via: <https://florabase.dpaw.wa.gov.au/browse/profile/5426>

Apace summary: <https://apacewa.org.au/plant/calothamnus-quadrifidus>

### **Mouse Ears**

*Calothamnus rupestris: Erect, compact or spreading shrub or tree (occasionally), 0.9-4 m high. Fl. pink-red, Jul to Dec. Gravelly skeletal soils. Granite outcrops & rocks, hillsides.*

Plant information available

via: <https://florabase.dpaw.wa.gov.au/browse/profile/5428>

Apace summary: <https://apacewa.org.au/plant/calothamnus-rupestris>

## CLIMBERS

### **Australian Bluebell**

*Billardiera fusiformis: Sturdy climber. Fl. blue/white/pink, Nov to Dec or Jan to Feb. Coastal areas, disturbed water crossing sites.*

Plant information available

via: <https://florabase.dpaw.wa.gov.au/browse/profile/25798>

Apace summary: <https://apacewa.org.au/plant/billardiera-fusiformis/>

### **Coral Vine**

*Kennedia coccinea: Twining or trailing shrub or climber. Fl. orange & pink/red & pink & purple, Aug to Nov. Often sandy soils.*

Plant information available

via: <https://florabase.dpaw.wa.gov.au/browse/profile/4037>

Apace summary: <https://apacewa.org.au/plant/kennedia-coccinea>

## FLOWERING SHRUBS

### **Silky-leaved Blood flower**

*Calothamnus sanguineus*: Erect to open spreading shrub, 0.2-2 m high. Fl. red, Mar to Nov. Sandy or lateritic soils. Sandplains, limestone ridges, rocky outcrops

Plant information available

via: <https://florabase.dpaw.wa.gov.au/browse/profile/5429>

Apace summary: <https://apacewa.org.au/plant/calothamnus-sanguineus>

### **Hawkeswood**

*Calothamnus hirsutus*: Spreading shrub, 0.3-1.5 m high. FL. Sep-Dec or Jan-Feb. Yellow/grey sand, clay, sandy clay, loam, gravel, weathering sandstone, granite. Ridges, winter-wet depressions.

Plant information available

via: <https://florabase.dpaw.wa.gov.au/browse/profile/5411>

Apace summary: <https://apacewa.org.au/plant/calothamnus-hirsutus>

### **York Road Poison**

*Gastrolobium calycinum*: Erect, bushy shrub, to 1.5 m high. Fl. orange & red & pink, Aug to Nov. Clay, loam or sand soils over ironstone or laterite. Low hills, slopes or flats.

Plant information available

via: <https://florabase.dpaw.wa.gov.au/browse/profile/3895>

Apace summary: <https://apacewa.org.au/plant/gastrolobium-calycinum>

### **Gompholobium Knightianum**

*Slender, erect shrub, 0.1-0.5 m high. Fl. pink-purple, Jul to Dec. Often on lateritic soils.*

Plant information available

via: <https://florabase.dpaw.wa.gov.au/browse/profile/3950>

Apace summary: <https://apacewa.org.au/plant/gompholobium-knightianum>

### **Hairy Yellow Pea**

*Gompholobium tomentosum*: Erect shrub, (0.15-)0.3-1 m high. Fl. yellow, Jul to Dec or Jan. White, grey or yellow sand, sandy clay, lateritic sand. Coastal limestone & sand dunes, undulating plains.

Plant information available

via: <https://florabase.dpaw.wa.gov.au/browse/profile/3957>

Apace summary: <https://apacewa.org.au/plant/gompholobium-tomentosum>

### **Waldjumi**

*Jacksonia sericea*: Low spreading shrub, to 0.6 m high. Fl. orange, usually Dec or Jan to Feb. Calcareous & sandy soils.

Plant information available

via: <https://florabase.dpaw.wa.gov.au/browse/profile/4027>

Apace summary: <https://apacewa.org.au/plant/jacksonia-sericea>

### **Guichenotia Macrantha**

*Large-flowered - An erect or straggling shrub, growing up to 1.5m tall. Produces purple flowers in Winter to early Spring.*

Plant information available



via: <https://florabase.dpaw.wa.gov.au/browse/profile/5012>

Apace summary: <https://apacewa.org.au/plant/guichenotia-macrantha>

 **Eremaea asterocarpa**

*Star-fruited: Shrub, 0.2-1 m high. Fl. orange, Aug to Oct. Grey, yellow or red/brown sand, often over laterite. From lateritic uplands to coastal plains.*

Plant information available

via: <https://florabase.dpaw.wa.gov.au/browse/profile/13950>

Apace summary: <https://apacewa.org.au/plant/eremaea-asterocarpa>

 **Eremaea Beaufortioides**

*Spreading shrub, 0.35-2.5 m high. Fl. orange, Sep to Dec. White, grey, yellow or brown sand, gravel, laterite, limestone. Lateritic uplands to coastal plains.*

Plant information available

via: <https://florabase.dpaw.wa.gov.au/browse/profile/5537>

Apace summary: <https://apacewa.org.au/plant/eremaea-beaufortioides>

 **Eremophila glabra**

*Tar Bush: Shrub, 0.1-3 m high. Fl. green-yellow-orange-red-brown, Mar to Dec. Sand to clay soils, sometimes saline, stony loam, limestone. Winter-wet depressions, sandplains & dunes.*

Plant information available

via: <https://florabase.dpaw.wa.gov.au/browse/profile/7215>

Apace summary: <https://apacewa.org.au/plant/eremophila-glabra>

 **White Myrtle**

*Hypocalymma angustifolium: Erect, multi-stemmed shrub, to 1.5 m high. Fl. white-cream, Jun-Oct. Flats, swamps, along watercourses, near permanent fresh-water springs, outcrops, hillsides.*

Plant information available

via: <https://florabase.dpaw.wa.gov.au/browse/profile/5817>

Apace summary: <https://apacewa.org.au/plant/hypocalymma-angustifolium>

 **Scarlet Runner**

*Kennedia prostrata | Running Postman: Prostrate or twining shrub. Fl. red, Apr to Nov. Usually sandy gravelly soils.*

Plant information available

via: <https://florabase.dpaw.wa.gov.au/browse/profile/4044>

Apace summary: <https://apacewa.org.au/plant/kennedia-prostrata>

 **Scarlet Honeymyrtle**

*Melaleuca fulgens: Shrub, 0.4-3 m high. Fl. red-pink/white, Jul to Dec. Sandy or skeletal soils, loam or gravel, granite, sandstone. Granite outcrops, sandplains, along watercourses.*

Plant information available

via: <https://florabase.dpaw.wa.gov.au/browse/profile/5912>

Apace summary: <https://apacewa.org.au/plant/melaleuca-fulgens>

 **Melaleuca parviceps**

*Shrub, to 0.6 m high. Fl. pink, Dec. Red-brown clay-loam. Disturbed eucalypt woodland.*

Plant information available

via: <https://florabase.dpaw.wa.gov.au/browse/profile/18394>

 **Melaleuca seriata**

*A spreading or erect shrub growing to 0.2 -1m high. Flowers are pale to deep pink/purple, blooming in spring to summer. Attracts birds & bees. Shade tolerant and will resprout after fire.*

Plant information available

via: <https://florabase.dpaw.wa.gov.au/browse/profile/5964>

Apace summary: <https://apacewa.org.au/plant/melaleuca-seriata/>

 **Swamp Teatree**

*Pericalymma ellipticum: Erect shrub, to 3 m high. Fl. white-pink, Oct to Dec or Jan. Leached sand with some clayey sands, lateritic soils. In elevated areas on seasonally swampy platforms.*

Plant information available

via: <https://florabase.dpaw.wa.gov.au/browse/profile/6006>

Apace summary: <https://apacewa.org.au/plant/pericalymma-ellipticum>

 **Compacted Featherflower**

*Verticordia densiflora: Erect to spreading shrub, 0.25-2 m high. Fl. pink-purple-white/cream-yellow, Sep to Dec/ Jan to Feb. Sand, clay, loam & gravelly soils.*

Plant information available

via: <https://florabase.dpaw.wa.gov.au/browse/profile/6076>

Apace summary: <https://apacewa.org.au/plant/verticordia-densiflora>